

PRODUCT INFORMATION SHEET

SULPHURIC ACID 35%

PRODUCT DESCRIPTION

Sulphuric acid 35% is a concentrated solution suitable for lead acid battery refills. It is also suitable as a pH reducer in waste treatment plants where sulphates are not an issue. Sulphuric acid 35% is also suitable for heavy rust removal. Sulphuric acid 35% is also suitable for heavy rust removal, and can be used to bring down the pH for waste water disposal. Sulphuric Acid can also be diluted down and used as an aluminium cleaner to de oxidise flat appearing surfaces.

DIRECTIONS FOR USE

Recommended Dilution

For batteries use undiluted.

For the cleaning of steel and rust removal dilute 50mls in 1L of water.

Always test on small area's prior to use and adjust strength until desired results are achieved.

FIRST AID & SAFETY

CLASS 8 RISK: CORROSIVE

Highly Acidic, considered a hazardous product. Avoid contact with skin and eyes. Wear gloves and eye protection when handling. Keep out of reach of children. If swallowed seek medical advice. If poisoning occurs contact a Doctor or the Poisons Information Centre. If swallowed do NOT induce vomiting, give water. If skin contact occurs wash affected area and remove clothing. If in eyes, hold eyes open and flood with water for a minimum of 15 minutes.

Call a Doctor.

Refer to Safety Data Sheet for more information.



FEATURES & BENEFITS

- Ready to use for lead acid batteries
- Concentrated solution
- Economical

PACK SIZES

1 Litre: NCSA15

5 Litre: NCSA35

15 Litre: NCSA3515

